

INSTALLAZIONE DRIVER SENECA USB SU WINDOWS® 8.1

SENECA s.r.l.

Via Austria 26, PADOVA – ITALY

Tel. +39.049.8705355 – 8705359 Fax. +39.049.8706287

Web site: www.seneca.it

Assistenza tecnica: supporto@seneca.it (IT), support@seneca.it (Other)

Informazioni Commerciali: commerciale@seneca.it (IT), sales@seneca.it (Other)



This document is property of SENECA srl. Duplication and reproduction of its are forbidden (though partial), if not authorized. Contents of present documentation refers to products and technologies described in it. Though we strive for reach perfection continually, all technical data contained in this document may be modified or added due to technical and commercial needs; it's impossible eliminate mismatches and discordances completely. Contents of present documentation is anyhow subjected to periodical revision. If you have any questions don't hesitate to contact our structure or to write us to e-mail addresses as above mentioned.

INSTALLARE DRIVER USB SENECA SU WINDOWS 8.1

Data	Versione	Modifiche
11/12/2013	1	Prima versione
16/12/2013	2	Seconda versione

Installare driver USB Seneca su Windows 8.1

1. Informazioni Preliminari

Windows 8 ha introdotto l'obbligatorietà di utilizzare dei driver certificati. In attesa della certificazione dei driver Seneca si consiglia di seguire la seguente guida valida per windows 8.1.


Nel caso si disponesse di windows 8 aggiornare windows alla versione 8.1 tramite lo store Microsoft (vedi <http://windows.microsoft.com/it-it/windows-8/update-from-windows-8-tutorial>)

2. Procedura di installazione su windows 8.1

1. Premiamo sulla tastiera contemporaneamente il tasto WIN (vedi figura) e il tasto R



Nella finestra Esegui digitare:



e confermiamo con OK.

2. Il PC si riavvierà e vi ritroverete una schermata blu "Scegli un'opzione"

Clicchiamo su Risoluzione dei problemi

Opzioni avanzate

Impostazioni di avvio


Riavvia.

3. Il PC verrà di nuovo riavviato nella schermata delle opzioni avanzate di avvio.

Premete il tasto corrispondente a “Disattiva imposizione firma driver” (di solito è il numero 7)

4. Attendere che Windows parti e poi lanciate l’installazione del software Easy desiderato (Easy Setup, Easy MyALARM2, Easy Z-GPRS2 etc...)

Comparirà la seguente schermata:



Confermare con “Installa il software del driver”.

Il driver Seneca USB è ora installato.

Collegare ora la scheda Seneca via USB.